

MATERIAL SAFETY DATA SHEET

Product Name (As used on label & list): PERFORM-ALL		Description: Neutral Liquid Carpet/Fabric Cleaner	
HMIS RATING Health: 1 Flammability: 0 Reactivity: 0 Pers. Prot.: B		HAZARD RATINGS 0 = Insignificant 1 = Slight 2 = Moderate 3 = High 4 = Extreme	
SECTION I			
Manufacturer's Name: CFR, A Tacony Company		Emergency Telephone Number: 1-800-424-9300	
Address (number, street, city, state, zip code): 3101 Wichita Court Fort Worth TX 76140-1710		Telephone Number for information: 800-880-2913 or Website www.cfrcorp.com	
		DATE PREPARED/Revised: September 23, 2002	
SECTION II			
Hazardous Ingredients - Identity Information			
The criteria for listing components in this section is as follows: Carcinogens are listed; components which are otherwise hazardous according to OSHA are listed when present at 1.0%; components are not listed. This is not a complete composition disclosure.			
Hazardous Components (specific chemical identity - CAS common name)	CAS NUMBER	OSHA PEL	ACGIH TLV % (optional)
Sodium Dodecyl Benzene Sulfonate	25155-30-0		
Isopropyl Alcohol	67-63-0		
Dipropylene glycol monomethyl ether	3459-94-8		
SECTION III			
Physical/Chemical characteristics			
Boiling Point: > 100° C	Vapor Pressure (mm Hg.): NA	Vapor Density (AIR =1): NA	
Melting Point: NA	Specific Gravity (H2O):	Evaporation Rate (butyl Acetate=1): < 1	
Solubility in Water: Dispersible			
Appearance & Odor: Clear Amber liquid, no odor			
SECTION IV			
Fire and Explosion Hazard Data			
Flash Point (Method used): 62°C (145°F) C.C.	Flammable Limits: NA		
LEL:	UEL:		
Extinguishing Media: Carbon Dioxide, dry chemical powder, water spray			
Special Fire Fighting Procedures: None			
Unusual Fire and Explosion Hazards: None			
SECTION V			
Reactivity Data			
Stability: Stable	Unstable/Stable:		
Conditions to Avoid:			
Incompatibility (Materials to avoid): oxidizing materials			
Hazardous Decomposition or By-product: Oxides of Carbon, Sulfur, possibly Hydrogen Sulfide			
Hazardous Polymerization:	May Occur:	Will not occur:	X
PERFORM-ALL Continued			

SECTION VI
Health Hazard Data

Route(s) of Entry:	Inhalation: Low	Skin?: X	Ingestion X	Eyes? X
Health Hazards (Acute and Chronic): Inhalation may cause nausea, dizziness. Skin and eye irritation may occur. Ingestion may cause nausea.				
Carcinogenicty:	NTP? No	LARC Monographs?:	No	OSHA Regulated?: No
Signs and Symptoms of Exposure: Dizziness, nausea, skin defatting/Dermatitis, vomiting, diarrhea				
Medical Condition Generally Aggravated by Exposure: Dermatitis				
Emergency and First Aid Procedures: Inhalation: Remove to fresh air Skin & Eye Contact: Flush with cool running water for at least 15 minutes, seek medical attention. Ingestion: Do not induce vomiting. Get medical attention.				

SECTION VII
Precautions for Safe Handling and Use

Steps to be taken in case material is released or spilled: Mop up or absorb on inert material for small spills. Large spills should be contained and placed in appropriate container for disposal.
Waste Disposal Method: Dispose of absorbed material at approved disposal site or facility.
Precautions to Be Taken in Handling and Storing: Store away from heat and open flames
Other Precautions: None

SECTION VIII
Control Measures

Respiratory Protection (Specify Type): None required with adequate ventilation		
Ventilation: Yes	Local Exhaust: Yes	Special Forced Exhaust:
Mechanical (General):	Other:	
Protective Gloves: Rubber	Eye Protection: Goggles	
Other Protective Clothing or Equipment: None Work/Hygienic Practices: Wash hands and face before eating, drinking or smoking after handling material.		