

Date Issued:

Date Prepared: July 2007

Product Name: AIRWORKS™60 LIQUID REFILL – SUNKISSED CITRUS

Product Description: Liquid Odor Counteractant

**Section 1: Manufacturer's Information**

HOSPECO  
670 Alpha Drive  
Highland Heights, OH 44143  
800-321-9832

**Section 2: Physical Properties**

Physical States: Liquid  
Color: Pale Yellow  
Odor: Citrus Orange type  
Refractive Index @ 20 C: N/A  
Specific Gravity @ 25 C (H2O=1.0): 0.8208  
Soluble In: Not Soluble In Water

**Section 3: Physical Hazard Data**

Flash Point-CC (Deg F): 145 deg F  
L.F.L.: N/K  
U.F.L.: N/K  
■ Extinguishing Media: Water Spray, Alcohol Compatible Foam or Dry Chemicals Are Recommended.  
■ Special Fire Fighting Procedures: Cool Exposed Equipment With Water Spray Until Well After Fire Is Out.  
■ Materials/Conditions To Avoid: Avoid Excessive Heat, Open Flames Or Other Sources Of Ignition. Avoid Contact With Strong Acids Or Strong Oxidizing Agents.  
■ Unusual Fire, Explosion And Stability Hazards: None Expected. NFPA Class IIIA Combustible Liquid.

**Section 4: Hazardous Ingredients/Identity Information**

The Identity Of Individual Components Of This Mixture Is Proprietary Information And Is Regarded To Be A Trade Secret. This Mixture Contains No Suspected Carcinogens As Reported By NIP, OSHA Or IARC Monographs. One Or More Of The Components Present In Greater Than 1% Concentration May Present The Following Health Effects Based On Evaluation Of The Individual Components.

Contains: highly refined petroleum distillates, odor counteractant fragrance.

**Hazardous Ingredients/Identity Information Continued**

**INDUSTRIAL OVEREXPOSURE**

Routes Of Entry, Signs And Symptoms, Health Effects:

In Humans, One Or More Of The Individual Components May Cause The Following Health Effects Upon:

- Eye Contact: Irritation To The Eyes Upon Direct Contact.
- Skin Contact: Repeated Or Prolonged Contact Can Cause Redness, Irritation, And Scaling Of The Skin (Dermatitis).  
Normal Care And Personal Hygiene Should Prevent Skin Effects.
- Inhalation: No Hazard Expected At Ambient Conditions.
- Ingestion: Low Order Of Toxicity. Causes Irritation Of The Stomach And Intestines, Resulting In Nausea And Vomiting.

**PRODUCT IDENTIFICATION**

HMIS Rating: Health -0, Flammability - 2, Reactivity -1 , Personal Protection -C

D.O.T. Rating: Non-Hazardous = No Hazard Tags Needed

**Section 5: First Aid Procedures**

- Eyes: Immediately Flush Eyes With Large Quantities Of Water For At Least 15 Minutes. Call A Physician If Irritation Persists.
- Skin: Remove Contaminated Clothing. Wash Skin With Soap And Water. Flush With Large Quantities Of Water. Wash Clothing Before Reuse. Get Medical Attention If Symptoms Occur.
- Inhalation: Remove To Fresh Air.
- Ingestion: Do Not Induce Vomiting Unless Instructed By A Physician. If Vomiting Occurs Spontaneously, Keep Victims Head Below Hips To Prevent Aspiration Into Lungs.

Product Name: AIRWORKS™60 LIQUID REFILL – SUNKISSED CITRUS

Page 2 Of 2

**Section 6: Personal Protection**

- **Eyes:** The Use Of Safety Glasses Is Recommended. If A Material Is To Be Handled In A Manner Where Splashing May Occur, The Use Of Splash Goggles Or Face Shield Is Recommended.
- **Respiratory:** In Well Ventilated Areas, Respiratory Protection Is Not Normally Required. In Confined, Poorly Ventilated Areas The Use Of "Niosh" Approved Respiratory Protection May Be Required.
- **Equipment And Apparel:** The Use Of Chemical Resistant Gloves Is Recommended. Acceptable Industrial Hygiene Practices Should Be Maintained.
- **Ventilation:** Provide Adequate Ventilation. Use Local Exhaust Fan If Necessary.

**Section 7: Storage And Handling**

**Store At Ambient Temperatures In Well Ventilated Area Avoiding Open Flames Or Other Sources Of Ignition.**

**Section 8: Spill, Release And Waste Disposal Procedures**

- **Spill Or Release:** Contain Spilled Material With An Inert Non-Combustible Absorbent Material, Then Place In A Chemical Waste Container. For Large Spills, Dike For Later Disposal. Avoid Excess Inhalation Of Vapors In A Confined Or Poorly Ventilated Area.
- **Disposal Procedures:** Dispose Of In Accordance With Local, State And Federal Regulations.

**Section 9: Other Information**

All Materials Are Listed Or Are Excluded From Listing On The U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.  
All Components Are Listed In The Canadian Domestic Substances List (CEPA), Canada Gazette, Part I, January 26, 1991.  
All Components Are Listed In The European Index For Existing Chemicals (EINECS).  
All Components Of This(These) Product(S) Are In Compliance With The Inventory Listing Requirements Of The U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.  
As Of The Date Of Preparation Of This Document, The Foregoing Information Is Believed To Be Accurate And Is Provided In Good Faith To Comply With Applicable Federal And State Law(S). However No Warranty Or Representation With Respect To Such Information Is Intended Or Given.

\*The Above Descriptions And Design Layouts Are Protected Under Copyright.

**Do Not Transfer To Unmarked Containers!!**

Date Issued: SEPTEMBER, 2007

Date Prepared: SEPTEMBER, 2007

Product Name: AIRWORKS™60 LIQUID REFILL – ARCTIC FROST  
Product Description: Liquid Odor Counteractant

**Section 1: Manufacturer's Information**

HOSPECO  
670 Alpha Drive  
Highland Heights, OH 44143  
800-321-9832

**Section 2: Physical Properties**

Physical States: Liquid  
Color: Clear in color  
Odor: Icy minty type  
Refractive Index @ 20 C: N/A  
Specific Gravity @ 25 C (H2O=1.0): 0.8291  
Soluble In: Not Soluble In Water

**Section 3: Physical Hazard Data**

Flash Point-CC (Deg F): 155 deg F  
L.F.L.: N/K  
U.F.L.: N/K  
■ Extinguishing Media: Water Spray, Alcohol Compatible Foam or Dry Chemicals Are Recommended.  
■ Special Fire Fighting Procedures: Cool Exposed Equipment With Water Spray Until Well After Fire Is Out.  
■ Materials/Conditions To Avoid: Avoid Excessive Heat, Open Flames Or Other Sources Of Ignition. Avoid Contact With Strong Acids Or Strong Oxidizing Agents.  
■ Unusual Fire, Explosion And Stability Hazards: None Expected. NFPA Class IIIA Combustible Liquid.

**Section 4: Hazardous Ingredients/Identity Information**

The Identity Of Individual Components Of This Mixture Is Proprietary Information And Is Regarded To Be A Trade Secret. This Mixture Contains No Suspected Carcinogens As Reported By NIP, OSHA Or IARC Monographs. One Or More Of The Components Present In Greater Than 1% Concentration May Present The Following Health Effects Based On Evaluation Of The Individual Components.

Contains: highly refined petroleum distillates, odor counteractant fragrance.

**Hazardous Ingredients/Identity Information Continued**

**INDUSTRIAL OVEREXPOSURE**

Routes Of Entry, Signs And Symptoms, Health Effects:

In Humans, One Or More Of The Individual Components May Cause The Following Health Effects Upon:

- Eye Contact: Irritation To The Eyes Upon Direct Contact.
- Skin Contact: Repeated Or Prolonged Contact Can Cause Redness, Irritation, And Scaling Of The Skin (Dermatitis).  
Normal Care And Personal Hygiene Should Prevent Skin Effects.
- Inhalation: No Hazard Expected At Ambient Conditions.
- Ingestion: Low Order Of Toxicity. Causes Irritation Of The Stomach And Intestines, Resulting In Nausea And Vomiting.

**PRODUCT IDENTIFICATION**

HMIS Rating: Health -0, Flammability - 2, Reactivity -1 , Personal Protection -C  
D.O.T. Rating: Non-Hazardous = No Hazard Tags Needed

**Section 5: First Aid Procedures**

- Eyes: Immediately Flush Eyes With Large Quantities Of Water For At Least 15 Minutes. Call A Physician If Irritation Persists.
- Skin: Remove Contaminated Clothing. Wash Skin With Soap And Water. Flush With Large Quantities Of Water. Wash Clothing Before Reuse. Get Medical Attention If Symptoms Occur.
- Inhalation: Remove To Fresh Air.
- Ingestion: Do Not Induce Vomiting Unless Instructed By A Physician. If Vomiting Occurs Spontaneously, Keep Victims Head Below Hips To Prevent Aspiration Into Lungs.

Product Name: AIRWORKS™60 LIQUID REFILL – ARCTIC FROST  
Page 2 Of 2

**Section 6: Personal Protection**

- **Eyes:** The Use Of Safety Glasses Is Recommended. If A Material Is To Be Handled In A Manner Where Splashing May Occur, The Use Of Splash Goggles Or Face Shield Is Recommended.
- **Respiratory:** In Well Ventilated Areas, Respiratory Protection Is Not Normally Required. In Confined, Poorly Ventilated Areas The Use Of "Niosh" Approved Respiratory Protection May Be Required.
- **Equipment And Apparel:** The Use Of Chemical Resistant Gloves Is Recommended. Acceptable Industrial Hygiene Practices Should Be Maintained.
- **Ventilation:** Provide Adequate Ventilation. Use Local Exhaust Fan If Necessary.

#### Section 7: Storage And Handling

Store At Ambient Temperatures In Well Ventilated Area Avoiding Open Flames Or Other Sources Of Ignition.

#### Section 8: Spill, Release And Waste Disposal Procedures

- **Spill Or Release:** Contain Spilled Material With An Inert Non-Combustible Absorbent Material, Then Place In A Chemical Waste Container. For Large Spills, Dike For Later Disposal. Avoid Excess Inhalation Of Vapors In A Confined Or Poorly Ventilated Area.
- **Disposal Procedures:** Dispose Of In Accordance With Local, State And Federal Regulations.

#### Section 9: Other Information

All Materials Are Listed Or Are Excluded From Listing On The U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.  
All Components Are Listed In The Canadian Domestic Substances List (CEPA), Canada Gazette, Part I, January 26, 1991.  
All Components Are Listed In The European Index For Existing Chemicals (EINECS).  
All Components Of This(These) Product(S) Are In Compliance With The Inventory Listing Requirements Of The U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.  
As Of The Date Of Preparation Of This Document, The Foregoing Information Is Believed To Be Accurate And Is Provided In Good Faith To Comply With Applicable Federal And State Law(S). However No Warranty Or Representation With Respect To Such Information Is Intended Or Given.

\*The Above Descriptions And Design Layouts Are Protected Under Copyright.

Do Not Transfer To Unmarked Containers!!

Date Issued: SEPTEMBER, 2007

Date Prepared: SEPTEMBER, 2007

Product Name: AIRWORKS™60 LIQUID REFILL – GENTLE BREEZE  
Product Description: Liquid Odor Counteractant

**Section 1: Manufacturer's Information**

HOSPECO  
670 Alpha Drive  
Highland Heights, OH 44143  
800-321-9832

**Section 2: Physical Properties**

Physical States: Liquid  
Color: Very pale yellow color  
Odor: Fresh clean floral  
Refractive Index @ 20 C: N/A  
Specific Gravity @ 25 C (H2O=1.0): 0.8386  
Soluble In: Not Soluble In Water

**Section 3: Physical Hazard Data**

Flash Point-CC (Deg F): 145 deg F  
L.F.L.: N/K  
U.F.L.: N/K  
■ Extinguishing Media: Water Spray, Alcohol Compatible Foam or Dry Chemicals Are Recommended.  
■ Special Fire Fighting Procedures: Cool Exposed Equipment With Water Spray Until Well After Fire Is Out.  
■ Materials/Conditions To Avoid: Avoid Excessive Heat, Open Flames Or Other Sources Of Ignition. Avoid Contact With Strong Acids Or Strong Oxidizing Agents.  
■ Unusual Fire, Explosion And Stability Hazards: None Expected. NFPA Class IIIA Combustible Liquid.

**Section 4: Hazardous Ingredients/Identity Information**

The Identity Of Individual Components Of This Mixture Is Proprietary Information And Is Regarded To Be A Trade Secret. This Mixture Contains No Suspected Carcinogens As Reported By NIP, OSHA Or IARC Monographs. One Or More Of The Components Present In Greater Than 1% Concentration May Present The Following Health Effects Based On Evaluation Of The Individual Components.

Contains: highly refined petroleum distillates, odor counteractant fragrance.

**Hazardous Ingredients/Identity Information Continued**

**INDUSTRIAL OVEREXPOSURE**

Routes Of Entry, Signs And Symptoms, Health Effects:

In Humans, One Or More Of The Individual Components May Cause The Following Health Effects Upon:

- Eye Contact: Irritation To The Eyes Upon Direct Contact.
- Skin Contact: Repeated Or Prolonged Contact Can Cause Redness, Irritation, And Scaling Of The Skin (Dermatitis).  
Normal Care And Personal Hygiene Should Prevent Skin Effects.
- Inhalation: No Hazard Expected At Ambient Conditions.
- Ingestion: Low Order Of Toxicity. Causes Irritation Of The Stomach And Intestines, Resulting In Nausea And Vomiting.

**PRODUCT IDENTIFICATION**

HMIS Rating: Health -0, Flammability - 2, Reactivity -1 , Personal Protection -C  
D.O.T. Rating: Non-Hazardous = No Hazard Tags Needed

**Section 5: First Aid Procedures**

- Eyes: Immediately Flush Eyes With Large Quantities Of Water For At Least 15 Minutes. Call A Physician If Irritation Persists.
- Skin: Remove Contaminated Clothing. Wash Skin With Soap And Water. Flush With Large Quantities Of Water. Wash Clothing Before Reuse. Get Medical Attention If Symptoms Occur.
- Inhalation: Remove To Fresh Air.
- Ingestion: Do Not Induce Vomiting Unless Instructed By A Physician. If Vomiting Occurs Spontaneously, Keep Victims Head Below Hips To Prevent Aspiration Into Lungs.

Product Name: AIRWORKS™60 LIQUID REFILL – GENTLE BREEZE  
Page 2 Of 2

**Section 6: Personal Protection**

- **Eyes:** The Use Of Safety Glasses Is Recommended. If A Material Is To Be Handled In A Manner Where Splashing May Occur, The Use Of Splash Goggles Or Face Shield Is Recommended.
- **Respiratory:** In Well Ventilated Areas, Respiratory Protection Is Not Normally Required. In Confined, Poorly Ventilated Areas The Use Of "Niosh" Approved Respiratory Protection May Be Required.
- **Equipment And Apparel:** The Use Of Chemical Resistant Gloves Is Recommended. Acceptable Industrial Hygiene Practices Should Be Maintained.
- **Ventilation:** Provide Adequate Ventilation. Use Local Exhaust Fan If Necessary.

**Section 7: Storage And Handling**

**Store At Ambient Temperatures In Well Ventilated Area Avoiding Open Flames Or Other Sources Of Ignition.**

**Section 8: Spill, Release And Waste Disposal Procedures**

- **Spill Or Release:** Contain Spilled Material With An Inert Non-Combustible Absorbent Material, Then Place In A Chemical Waste Container. For Large Spills, Dike For Later Disposal. Avoid Excess Inhalation Of Vapors In A Confined Or Poorly Ventilated Area.
- **Disposal Procedures:** Dispose Of In Accordance With Local, State And Federal Regulations.

**Section 9: Other Information**

All Materials Are Listed Or Are Excluded From Listing On The U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

All Components Are Listed In The Canadian Domestic Substances List (CEPA), Canada Gazette, Part I, January 26, 1991.

All Components Are Listed In The European Index For Existing Chemicals (EINECS).

All Components Of This(These) Product(S) Are In Compliance With The Inventory Listing Requirements Of The U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

As Of The Date Of Preparation Of This Document, The Foregoing Information Is Believed To Be Accurate And Is Provided In Good Faith To Comply With Applicable Federal And State Law(S). However No Warranty Or Representation With Respect To Such Information Is Intended Or Given.

\*The Above Descriptions And Design Layouts Are Protected Under Copyright.

**Do Not Transfer To Unmarked Containers!!**

Date Issued: July 23, 2007

Date Prepared: July 2007 Page 1 Of 2

Product Name: AIRWORKS™60 LIQUID REFILL – SPRING BLOSSOM  
Product Description: Liquid Odor Counteractant

**Section 1: Manufacturer's Information**

HOSPECO  
670 Alpha Drive  
Highland Heights, OH 44143  
800-321-9832

**Section 2: Physical Properties**

Physical States: Liquid  
Color: Clear in color  
Odor: Lavender floral type  
Refractive Index @ 20 C: N/A  
Specific Gravity @ 25 C (H2O=1.0): 0.8981  
Soluble In: Not Soluble In Water

**Section 3: Physical Hazard Data**

Flash Point-CC (Deg F): 145 deg F  
L.F.L.: N/K  
U.F.L.: N/K  
■ Extinguishing Media: Water Spray, Alcohol Compatible Foam or Dry Chemicals Are Recommended.  
■ Special Fire Fighting Procedures: Cool Exposed Equipment With Water Spray Until Well After Fire Is Out.  
■ Materials/Conditions To Avoid: Avoid Excessive Heat, Open Flames Or Other Sources Of Ignition. Avoid Contact With Strong Acids Or Strong Oxidizing Agents.  
■ Unusual Fire, Explosion And Stability Hazards: None Expected. NFPA Class IIIA Combustible Liquid.

**Section 4: Hazardous Ingredients/Identity Information**

The Identity Of Individual Components Of This Mixture Is Proprietary Information And Is Regarded To Be A Trade Secret. This Mixture Contains No Suspected Carcinogens As Reported By NIP, OSHA Or IARC Monographs. One Or More Of The Components Present In Greater Than 1% Concentration May Present The Following Health Effects Based On Evaluation Of The Individual Components.

Contains: highly refined petroleum distillates, odor counteractant fragrance.

**Hazardous Ingredients/Identity Information Continued**

**INDUSTRIAL OVEREXPOSURE**

Routes Of Entry, Signs And Symptoms, Health Effects:

In Humans, One Or More Of The Individual Components May Cause The Following Health Effects Upon:

- Eye Contact: Irritation To The Eyes Upon Direct Contact.
- Skin Contact: Repeated Or Prolonged Contact Can Cause Redness, Irritation, And Scaling Of The Skin (Dermatitis).  
Normal Care And Personal Hygiene Should Prevent Skin Effects.
- Inhalation: No Hazard Expected At Ambient Conditions.
- Ingestion: Low Order Of Toxicity. Causes Irritation Of The Stomach And Intestines, Resulting In Nausea And Vomiting.

**PRODUCT IDENTIFICATION**

HMIS Rating: Health -0, Flammability - 2, Reactivity -1 , Personal Protection -C  
D.O.T. Rating: Non-Hazardous = No Hazard Tags Needed

**Section 5: First Aid Procedures**

- Eyes: Immediately Flush Eyes With Large Quantities Of Water For At Least 15 Minutes. Call A Physician If Irritation Persists.
- Skin: Remove Contaminated Clothing. Wash Skin With Soap And Water. Flush With Large Quantities Of Water. Wash Clothing Before Reuse. Get Medical Attention If Symptoms Occur.
- Inhalation: Remove To Fresh Air.
- Ingestion: Do Not Induce Vomiting Unless Instructed By A Physician. If Vomiting Occurs Spontaneously, Keep Victims Head Below Hips To Prevent Aspiration Into Lungs.

Product Name: AIRWORKS™60 LIQUID REFILL – SPRING BLOSSOM  
Page 2 Of 2

**Section 6: Personal Protection**

- **Eyes:** The Use Of Safety Glasses Is Recommended. If A Material Is To Be Handled In A Manner Where Splashing May Occur, The Use Of Splash Goggles Or Face Shield Is Recommended.
- **Respiratory:** In Well Ventilated Areas, Respiratory Protection Is Not Normally Required. In Confined, Poorly Ventilated Areas The Use Of "Niosh" Approved Respiratory Protection May Be Required.
- **Equipment And Apparel:** The Use Of Chemical Resistant Gloves Is Recommended. Acceptable Industrial Hygiene Practices Should Be Maintained.
- **Ventilation:** Provide Adequate Ventilation. Use Local Exhaust Fan If Necessary.

**Section 7: Storage And Handling**

Store At Ambient Temperatures In Well Ventilated Area Avoiding Open Flames Or Other Sources Of Ignition.

**Section 8: Spill, Release And Waste Disposal Procedures**

- **Spill Or Release:** Contain Spilled Material With An Inert Non-Combustible Absorbent Material, Then Place In A Chemical Waste Container. For Large Spills, Dike For Later Disposal. Avoid Excess Inhalation Of Vapors In A Confined Or Poorly Ventilated Area.
- **Disposal Procedures:** Dispose Of In Accordance With Local, State And Federal Regulations.

**Section 9: Other Information**

All Materials Are Listed Or Are Excluded From Listing On The U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.  
All Components Are Listed In The Canadian Domestic Substances List (CEPA), Canada Gazette, Part I, January 26, 1991.  
All Components Are Listed In The European Index For Existing Chemicals (EINECS).  
All Components Of This(These) Product(S) Are In Compliance With The Inventory Listing Requirements Of The U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.  
As Of The Date Of Preparation Of This Document, The Foregoing Information Is Believed To Be Accurate And Is Provided In Good Faith To Comply With Applicable Federal And State Law(S). However No Warranty Or Representation With Respect To Such Information Is Intended Or Given.

\*The Above Descriptions And Design Layouts Are Protected Under Copyright.

Do Not Transfer To Unmarked Containers!!